



**8" Tablet**  
**Windows 10 /**  
**Linux**



### Key features

- ◆ Optional NFC fast recognition function
- ◆ Support GPS, BDS and GLONASS
- ◆ Flexible expansion of multiple aviation plugs
- ◆ IP65 Waterproof and Dustproof
- ◆ Optional high-speed 4G LTE
- ◆ 2.4G/5.8G Dual band WIFI



GNSS



IP65



9-36V  
Wide Voltage



4G, WiFi, BT



Capacitive  
Touch Screen



Wide Temperature  
Operation



Aeroplug  
Interface



700nit Screen



## OS

---

- ◆ Windows 10 / Linux

## CPU

---

- ◆ Intel® Celeron® N5100

## Memory

---

- ◆ RAM: 4GB, Optional 8GB, Up to 16GB
- ◆ Storage: 64GB, Optional 128GB, Up to 512GB

## Display

---

- ◆ 8 inch, 800\*1280
- ◆ 700nits
- ◆ 5-point tempered glass capacitive screen G+F+F

## RF

---

- ◆ Wifi: 802.11 a/b/g/n/ac (2.4G/5.8G)
- ◆ Bluetooth: BT5.0
- ◆ GNSS: Built-in GPS, GLONASS, Optional Beidou
- ◆ 4G (Optional): LTE FDD: B1/B3/B5/B7/B8/B20 LTE-TDD: B40 WCDMA: B1/B5/B8 GSM: B3/B5

## Battery (Optional)

---

- ◆ 1000mAh/7.4V
- ◆ Built-in Li-polymer battery
- ◆ 30mins endurance

## Warranty

---

- ◆ «Continuité» warranty extension total 3 years
- ◆ «Confort» Contract 3 years, full service contract

## I/O Interface

---

- ◆ Nano-SIM \*1 (Optional)
- ◆ USB 3.0 Type-A \*1
- ◆ RS232 + RS232/RS485 (Optional)
- ◆ Ethernet interface (100/1000M) (Optional)
- ◆ USB 2.0 \*2 + CAN/CVBS \*1 (Optional)
- ◆ DC

## Dimensions and Weight

---

- ◆ 218.1 x 154.5 x 23.0 mm
- ◆ TBD

## Durability

---

- ◆ IP65
- ◆ Drop 1,2 m

## Environmental

---

- ◆ Operating temperature: -20°C to 60°C
- ◆ Storage temperature: -30°C to 70°C
- ◆ Humidity: 5% - 95%

## Standard Accessories

---

- ◆ Wifi Antenna
- ◆ GPS Antenna
- ◆ Adapter Cable

## Optional Accessories

---

- ◆ 4G Antenna
- ◆ Cigarette Lighter Adapter
- ◆ Power Adapter
- ◆ Adapter Cable
- ◆ Bracket
- ◆ Function Adapter
- ◆ Wide Voltage
- ◆ GPS Antenna

# Product Six Views



# Application Range



**Warehousing  
Logistics**



**Airport  
Transportation**



**Vehicle  
Management**



**Automatic Driving of  
Agricultural Machinery**